

## ATTESTATION of conformity with Low Voltage Directive

Product: SOLAR INVERTER

**Brand Name:** 

HUAWEI

Model: SUN2000-8KTL, SUN2000-10KTL, SUN2000-12KTL,

SUN2000-15KTL, SUN2000-17KTL, SUN2000-20KTL

Applicant: Huawei Technologies Co., Ltd.

Address: Administration Building, Headquarters of Huawei Technologies

Co., Ltd., Bantian, Longgang District, Shenzhen, 518129, P.R.C.

Technical Characteristics: See Next page

The submitted sample of the above equipment has been tested for CE marking according to following European Directive and standards:

## - Low Voltage Directive 2006/95/EC

Standards	Report Number	Report date		
IEC/EN 62109-2:2011 in conjunction with IEC/EN 62109-1:2010	LD121109N013	2012-12-28		

The referred test report(s) show that the product complies with standard(s) recognized as giving presumption of compliance with the essential requirements in the specified European Directive.

This verification does not imply assessment of the production of the product. The CE marking may be affixed if all relevant and effective European Directives with CE are applicable.



Manager Safety Department

Name: Sam Chou Date: Dec. 28, 2012

This document shall not be reproduced, except in full, without the written approval of Bureau Veritas Shenzhen Co., Ltd. Dongguan Branch.

Information given in this document is related to the tested specimen of the described electrical sample.



## **Technical Characteristics:**

Technical Characteristics:								
Test item description	SOLAR INVERTER							
Manufacturer	Huawei Technologies Co., Ltd.							
Model and/or type reference:	SUN2000-8KTL, SUN2000-10KTL, SUN2000-12KTL, SUN2000-15KTL, SUN2000-17KTL, SUN2000-20KTL							
Hardware Version	V100R001							
Software Version	V100R001							
Ratings:	SUN2000- 8KTL	SUN2000- 10KTL	SUN2000- 12KTL	SUN2000- 15KTL	SUN2000- 17KTL	SUN2000- 20KTL		
Input Voltage:	Operation voltage range: 250-850Vdc., Max. Voltage: 1000Vdc.							
Input current:	18Adc./18Adc.			18Adc./18Adc./18Adc.				
Output Voltage:	400Vac. 3W+N+PE							
Output current:	12.8Aac	16Aac	19.2Aac	24Aac	27.2Aac	32Aac		
Output power:	8KVA	10KVA	12KVA	15KVA	17KVA	20KVA		